



TWL Supply inc.
 PO Box 706
 Spearfish SD 57783
 1-877-428-3304
 Made in USA

MATERIAL SAFETY DATA SHEET

REVISION DATE: 10/15/2009 REVISION NUMBER: 1
 DATE PRINTED: 10/15/2009 PREPARED BY: EH&S DEPARTMENT

1. CHEMICAL PRODUCT

PRODUCT NAME: **TWL Momentum, Premium Floor Finish**
 PRODUCT CODE: 119169

NFPA/HMIS HAZARD CODES (minimal=0; slight=1; moderate=2; serious=3; severe=4)

Health: 1/1 Fire: 0/0
 Reactivity: 0/0 Special/Protective Equipment: None/B

Emergency Phone:
 INFOTRAC: 1-800-535-5053
 OUTSIDE US: 1-352-323-3500

2. HAZARDS IDENTIFICATION

EFFECTS FROM ACUTE EXPOSURE:

INGESTION: May be harmful if swallowed. Irritation of the mouth, throat, and stomach. Causes vomiting, nausea, and diarrhea.
SKIN CONTACT: May cause moderate skin irritation.
INHALATION: Inhalation of spray mists irritating to nose and throat; possible nausea, dizziness.
EYE CONTACT: Causes eye irritation.
CHRONIC EFFECTS: None known.
EFFECTS/CARCINOGENICITY: None listed under OSHA, IARC, or NTP.
ROUTES OF ENTRY: Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation.

3. COMPOSITION/INFORMATION ON INGREDIENTS

PRODUCT COMPOSITION CAS#	%	ACGIH TLV	OSHA PELs
Diethylene glycol ethyl ether 111-90-0	1 - 5	NA	NA
Dipropylene glycol methyl ether 34590-94-8	1 - 5	100 ppm	100 ppm 600 mg/m ³
Tributoxy ethyl phosphate 78-51-3	1 - 5	NA	NA

4. FIRST AID MEASURES

INGESTION: Do not induce vomiting. Drink two glasses of water. Call a physician. Never give anything by mouth to an unconscious person.
SKIN: In case of contact, immediately flush skin with plenty of soap and water for at least 15 minutes. Get medical attention.
INHALATION: If inhaled, remove from area to fresh air. Get medical attention if respiratory irritation develops or if breathing becomes difficult.
EYES: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes and get medical attention if irritation persists.
NOTES TO PHYSICIAN: None.

TWL Momentum, Premium Floor Finish

5. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (F): None (C): NA
METHOD: TCC

FLAMMABLE LIMITS IN AIR

- LOWER (%): NA
- UPPER (%): NA

SENSITIVITY TO MECHANICAL IMPACT(Y/N): NO
SENSITIVITY TO STATIC DISCHARGE: Sensitivity to static discharge is not expected.
SUITABLE EXTINGUISHING MEDIA: Product is mostly water and will not burn.
FIRE FIGHTING PROCEDURES: None.

6. ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES:

SMALL SPILLS: Pick up with absorbant material. Flush residue with water.
LARGE SPILLS: Dike to contain. Pick up with absorbant material. Put in suitable container for disposal. Flush remainder with water.

PERSONAL PRECAUTIONS: Not applicable
ENVIRONMENTAL PRECAUTIONS: Not applicable
METHODS FOR CLEANING UP: Not applicable

7. HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Avoid contact with eyes, skin and clothing.
Use only with adequate ventilation. Keep from freezing. Use in a well ventilated area to prevent irritation by vapors.
OTHER PRECAUTIONS: Keep out of reach of children.
SPECIFIC USE(S): Not applicable.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

PROTECTIVE EQUIPMENT:



EXPOSURE CONTROLS: None known.
RESPIRATORY PROTECTION: None normally required.
PROTECTIVE GLOVES: Rubber or plastic gloves recommended to minimize skin contact.
EYE PROTECTION: Goggles. Safety Glasses.
OTHER PERSONAL PROTECTION EQUIPMENT: Appropriate protective clothing as needed to prevent skin contact.
VENTILATION: None required.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Mild odor. Translucent white liquid.
BOILING POINT (F): 212° F (C) NA
VAPOR PRESSURE: As water
VAPOR DENSITY (AIR=1): As water
SOLUBILITY IN WATER: NA
SPECIFIC GRAVITY: 1.015 - 1.025
VOC Content (%): 5.25 - 5.75 (EPA Method 24)
VOV Content (%): NE
EVAPORATION RATE: As water
PH: 8-9

TWL Momentum, Premium Floor Finish

9. PHYSICAL AND CHEMICAL PROPERTIES

10. STABILITY AND REACTIVITY

STABILITY DATA: STABLE
POLYMERIZATION: Will Not Occur.
HAZARDOUS DECOMPOSITION: If evaporated to dryness, as in a fire, material may burn, releasing: Oxides of Carbon. Nitrogen oxides.
INCOMPATIBILITY (MATERIALS TO AVOID): Do not mix with salts. Product coagulates. Do not mix with acidic materials.
CONDITIONS/HAZARDS TO AVOID: None known.

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: Not Established
EFFECTS OF CHRONIC EXPOSURE: Not established.
OTHER TOXIC EFFECTS: Not established.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data at this time
CHEMICAL FATE INFORMATION: No data at this time.
MOBILITY: Not applicable.
PERSISTENCE/DEGRADABILITY: Not applicable
BIOACCUMULATIVE POTENTIAL: Not applicable
OTHER ADVERSE EFFECTS: Not applicable

13. DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: Dispose in accordance with Federal, State and Local regulations.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/Receiving documents for up to date shipping information.

15. REGULATORY INFORMATION

PRODUCT COMPOSITION CAS#	%	TSCA:	EINECS:	Canada DSL:	CA PROP 65:
Diethylene glycol ethyl ether 111-90-0	1 - 5	Listed	Listed	Listed	Not Listed
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed	Listed	Listed	Not Listed
Tributoxy ethyl phosphate 78-51-3	1 - 5	Listed	Listed	Listed	Not Listed

PRODUCT COMPOSITION CAS#	%	CERCLA:	SARA 302:	SARA 313:
Diethylene glycol ethyl ether 111-90-0	1 - 5	Not Listed	Not Listed	Not Listed
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Not Listed	Not Listed	Not Listed
Tributoxy ethyl phosphate 78-51-3	1 - 5	Not Listed	Not Listed	Not Listed

TWL Momentum, Premium Floor Finish

PRODUCT COMPOSITION CAS#	%	Canada WHMIS:
Diethylene glycol ethyl ether 111-90-0	1 - 5	Listed
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed
Tributoxy ethyl phosphate 78-51-3	1 - 5	Listed

The following components of this material are included in the Massachusetts Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	MARTK:
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed

The following components of this material are included in the New Jersey Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	NJRTK:
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed

The following components of this material are included in the Pennsylvania Substance List and are present at or above reportable levels.

PRODUCT COMPOSITION CAS#	%	PARTK:
Dipropylene glycol methyl ether 34590-94-8	1 - 5	Listed

16. OTHER INFORMATION

This information was compiled from current, reliable sources and is believed to be correct. As data, and/or regulations change, and conditions of use and handling are beyond our control, no warranty, express or implied, is made as to completeness or continuing accuracy of this information.

*** END OF MSDS ***